



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/754,806	01/02/2001	Q.Z. Liu	00CON122P-DIV1	2716

25700 7590 09/25/2003

FARJAMI & FARJAMI LLP
16148 SAND CANYON
IRVINE, CA 92618

EXAMINER

NADAV, ORI

ART UNIT	PAPER NUMBER
----------	--------------

2811

DATE MAILED: 09/25/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/754,806

Applicant(s)

LIU ET AL.

Examiner

ori nadav

Art Unit

2811

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 09 September 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
(a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
(b) ☐ they raise the issue of new matter (see Note below);
(c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
(d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☒ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See attachment.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☐ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____

Claim(s) objected to: _____

Claim(s) rejected: 24-26 and 28-48

Claim(s) withdrawn from consideration: _____

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
10. ☐ Other: _____

Ori Nadav
ORI NADAV
Patent Examiner

Response to Arguments

Applicant argues that passivation layer 217 of Cornett et al. is not part of the same dielectric layer as either one of magnetic material layers 221 or 223.

Applicant calls two separate dielectric areas having two separate permeabilities as part of a dielectric. The two dielectric areas of Cornett et al. 217 and 223 can also be described as part of a dielectric, which comprises layers 211, 217, 221 and 223.

Applicant argues that Cornett et al. do not teach that the second permeability of magnetic oxide layers 221, 223 is greater than the first permeability of passivation/dielectric layer 217. That is, Cornett et al. do not state that the conventional passivation/dielectric layer 217 comprise silicon oxide. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). Cornett et al. teaches substantially the entire claimed structure, except stating that the conventional passivation/dielectric layer 217 comprises silicon oxide. Ewen et al. teach a passivation/dielectric layer comprising silicon oxide.

Art Unit: 2811

Applicant argues that Cornett et al. do not teach a permeability conversion material not being situated underneath the conductor

Permeability conversion material 223 is not being situated underneath conductor 110 in Cornett et al.'s device. The broad recitation of the claim does not require that any permeability conversion material not being situated underneath the conductor.

Applicant argues that Ewen et al. do not teach increasing the permeability of the silicon oxide layer due to interspersions of permeability conversion material within the silicon oxide layer.

Ewen et al. is not cited to teach increasing the permeability of the silicon oxide layer by interspersing permeability conversion material within the silicon oxide layer. Ewen et al. is cited to teach an artisan that it is conventional to form a passivation/dielectric layer comprising silicon oxide.

Papers related to this application may be submitted to Technology center (TC) 2800 by facsimile transmission. Papers should be faxed to TC 2800 via the TC 2800 Fax center located in Crystal Plaza 4, room 4-C23. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The Group 2811 Fax Center number is (703) 308-7722 and 308-7724. The Group 2811 Fax Center is to be used only for papers related to Group 2811 applications.

Art Unit: 2811

Any inquiry concerning this communication or any earlier communication from the Examiner should be directed to *Examiner Nadav* whose telephone number is **(703) 308-8138**. The Examiner is in the Office generally between the hours of 7 AM to 4 PM (Eastern Standard Time) Monday through Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Thomas, can be reached at **(703) 308-2772**.

Any inquiry of a general nature or relating to the status of this application should be directed to the **Technology Center Receptionists** whose telephone number is **308-0956**

A handwritten signature in black ink, appearing to read 'Ori Nadav', is positioned above the printed name and title.

O.N.
9/23/03

ORI NADAV
PATENT EXAMINER
TECHNOLOGY CENTER 2800